Neuroscience Letters, 102 (1989) 355–358
Elsevier Scientific Publishers Ireland Ltd.

AUTHOR INDEX

Apps, R. and Lidierth, M., Simple spike discharge patterns of Purkinje cells in the paramedian lobule of the cerebellum during locomotion in the awake cat, 205
Arai, Y., see Murakami, S., 185
Avoli, M., see Zona, C., 223

Baev, K.V., see Safronov, B.V., 82
Baghdoyan, H.A., see Lydic, R., 211
Baluk, P. and Gabella, G., Tracheal parasympathetic neurons of rat, mouse and guinea pig: partial expression of noradrenergic phenotype and lack of innervation from noradrenergic nerve fibres, 191
Batueva, I.V., see Safronov, B.V., 82
Beckstead, R.M., see Segal, R.L., 173
Bérod, A., see Okamura, H., 131
Bettica, P., see Guidobono, F., 20
Bjelke, B. and Seiger, A., Restricted fiber growth from substance P-immunoreactive brain neurons grafted to the anterior eye chamber of the rat, 15
Blondet, B., Rieger, F. and Verdière-Sahuqué, M., Activity-independent modulation of acetylcholine receptor levels in rat skeletal muscle following neonatal denervation, 273
Bobillier, P., see Okamura, H., 131
Brandeis, R., see Fisher, A., 325
Bresson, J.L., Clavequin, M.C., Fellmann, D. and Bugnon, C., Human hypothalamic neuronal system revealed with a salmon melanin-concentrating hormone (MCH) antiserum, 39
Brown, L.M., Smith, D.L., Williams, G.M. and Smith, D.J., Alterations in serotonin binding sites after 5,7-dihydroxytryptamine treatment in the rat spinal cord, 103
Bruce, M.E., McBride, P.A. and Farquhar, C.F., Precise targeting of the pathology of the sialoglycoprotein, PrP, and vacuolar degeneration in mouse scrapie, 1
Bugnon, C., see Bresson, J.L., 39

Cazzamalli, E., see Guidobono, F., 20
Clavequin, M.C., see Bresson, J.L., 39
Cridland, R.A. and Henry, J.L., Intrathecal administration of CGRP in the rat attenuates a facilitation of the tail flick reflex induced by either substance P or noxious cutaneous stimulation, 241
Cunningham, J.R., see Neal, M.J., 114

Dachir, S., see Fisher, A., 325
Daikoku, S., see Ugrumov, M., 159
Deerinck, T.J., see Devor, M., 149
De Jong, W., see Lukovič, L., 337
Delrée, P., see Leprince, P., 268
Devor, M., Keller, C.H., Deerinck, T.J., Levinson, S.R. and Ellisman, M.H., Na^+ channel accumulation on axolemma of afferent endings in nerve end neuromas in *Apteronotus*, 149
De Wied, D., see Lukovič, L., 337
Dockray, G.J., see Louis, S.M., 257
Dunnett, S.B., see Rogers, D.C., 108
Dutton, G.R., see Philibert, R.A., 97

Ellisman, M.H., see Devor, M., 149
Erdélyi, L. and Such, Gy., The A-type potassium current: methoxybenzenes increase the rate of inactivation in snail neurons, 44

Farquhar, C.F., see Bruce, M.E., 1
Fellmann, D., see Bresson, J.L., 39
Fisher, A., Brandeis, R., Pittel, Z., Karton, I., Sapir, M., Dachir, S., Levy, A. and Heldman, E., (±)-*cis*-2-Methyl-spiro(1,3-oxathiolane-5,3′)quinuclidine (AF102B): a new M_1 agonist attenuates cognitive dysfunctions in AF64A-treated rats, 325
Formenti, A., see Mariotti, M., 70
Frankfurter, A., see Geisert, E.E., Jr., 137
Furukawa, H., see Nabeshima, T., 303
Fuxe, K., see Owman, Ch., 279

Gabella, G., see Baluk, P., 191
Geffard, M., see Okamura, H., 131
Geisert, E.E., Jr. and Frankfurter, A., The neuronal response to injury as visualized by immunostaining of class III β-tubulin in the rat, 137
Gibbins, I.L., see Morris, J.L., 142
Govind, C.K., see Mayes, J.I., 87
Guidobono, F., Netti, C., Bettica, P., Sibilia, V., Pagani, F., Cazzamalli, E. and Pecile, A., Effects of age on binding sites for calcitonin gene-related peptide in the rat central nervous system, 20

Haji, A., see Takeda, R., 261
Hamaji, M., Kawai, Y., Kawashima, Y. and

0304-3940/89/$ 03.50 © 1989 Elsevier Scientific Publishers Ireland Ltd.

Tohyama, M., Distribution of peptidergic terminals of enteric origin in the rat celiac ganglion, 121
Hariton, C., Jadot, G., Michelson, A.M. and Mandel, P., Superoxide dismutase treatment reduces [^{3}H]flunitrazepam affinity in cortex and hippocampus of the rat. 313
Harrer, S.M., see Nabeshima, T., 303
Heldman, E., see Fisher, A., 325
Henry, J.L., see Cridland, R.A., 241
Herranz, A.S., see Menéndez, N., 64
Herreras, O., see Menéndez, N., 64
Hervonen, A., see Koistinaho, J., 349
Heuss, L., see Hösli, L., 217
Hiramatsu, M., see Nabeshima, T., 303
Hisano, S., see Ugrumov, M., 159
Hösli, E., see Hösli, L., 217
Hösli, L., Hösli, E., Heuss, L. and Rojas, J., Electrophysiological evidence for receptors for vasoactive intestinal peptide and angiotensin II on astrocytes of cultured rat central nervous system, 217

Itowi, N., see Tsai, C.L., 297

Jacobson, A.E., see Nabeshima, T., 303
Jadot, G., see Hariton, C., 313
Jamieson, A., see Louis, S.M., 257
Janson, A.M., see Owman, Ch., 279
Jefferson, D., see Lowe, J., Burdon, T.
Johansson, H., see Sjölander, P., 33
Johnstone, D., see Louis, S.M., 257
Jones, D.G., see Oorschot, D.E., 332
Julien, J.-F., see Okamura, H., 131

Kahrström, J., see Owman, Ch., 279
Kameyama, T., see Nabeshima, T., 303
Kanazawa, I., see Yoshizawa, T., 179
Karton, I., see Fisher, A., 325
Kawai, Y., see Hamaji, M., 121
Kawashima, Y., see Hamaji, M., 121
Keller, C.H., see Devor, M., 149
Kikuchi, H., see Nozaki, K., 27
Kimura, S., see Yoshizawa, T., 179
Kitahama, K., see Okamura, H., 131
Koistinaho, J. and Hervonen, A., Neuronal degeneration and lipopigment formation in rat sympathetic ganglion after treatment with high-dose guanethidine, 349
Kornetsky, C., see Pollock, J., 291
Krishtal, O.A., Petrov, A.V., Smirnov, S.V. and Nowycky, M.C., Hippocampal synaptic plasticity induced by excitatory amino acids includes changes in sensitivity to the calcium channel blocker, ω-conotoxin, 197
Kudo, Y., Shiosaka, S., Matsuda, M. and Tohyama, M., An attempt to cause the selective loss of the cholinergic neurons in the basal forebrain of the cat: a new animal model of Alzheimer's disease, 125

Laev, H. and Mahadik, S.P., Topography of monosialoganglioside (GM1) in rat brain using monoclonal antibodies, 7
Landon, M., see Lowe, J., Burdon, T.
Lefebvre, P.P., see Leprince, P., 268
Lennox, G., see Lowe, J., Burdon, T.
Leprince, P., Rigo, J.-M., Lefebvre, P.P., Rogister, B., Delrée, P. and Moonen, G., In vitro kinetics of a newborn rat astroglia-derived neuronotoxic activity, 268.
Levinson, S.R., see Devor, M., 149
Levy, A., see Fisher, A., 325
Lidierth, M., see Apps, R., 205
Louis, S.M., Johnstone, D., Russell, N.J.W., Jamieson, A. and Dockray, G.J., Antibodies to calcitonin-gene related peptide reduce inflammation induced by topical mustard oil but not that due to carrageenin in the rat, 257
Lovinger, D.M. and White, G., Post-natal development of burst firing behavior and the low-threshold transient calcium current examined using freshly isolated neurons from rat dorsal root ganglia, 50
Lowe, J., Landon, M., Lennox, G., Jefferson, D. and Mayer, R.J., Ubiquitin gene expression in brain and spinal cord in motor neurone disease Heggie, P., Burdon, T.
Lukovič, L., De Jong, W. and De Wied, D., Cardiovascular effects of increasing sodium chloride concentrations microinjected into the nucleus tractus solitarii of the rat, 337
Lydic, R. and Baghdoyan, H.A., Cholinoceptive pontine reticular mechanisms cause state-dependent respiratory changes in the rat, 211

MacVicar, B.A., see Tse, F.W.Y., 58
Maeda, Y., see Nabeshima, T., 303
Mahadik, S.P., see Laev, H., 7
Mallet, J., see Okamura, H., 131
Mancia, M., see Mariotti, M., 70
Mandel, P., see Hariton, C., 313
Mariotti, M., Formenti, A. and Mancia, M., Responses of VPL thalamic neurones to peripheral

stimulation in wakefulness and sleep, 70
Martín del Río, R., see Menéndez, N., 64
Masaki, T., see Yoshizawa, T., 179
Matsuda, M., see Kudo, Y., 125
Matsumura, K., see Tsai, C.L., 297
Mayer, R.J., see Lowe, J., Burdon, T.
Mayes, J.I. and Govind, C.K., Higher mitochondrial density in slow versus fast lobster sensory neurons, 87
McBride, P.A., see Bruce, M.E., 1
McFarlane, E.F., see Shin, H.-C., 309
Menéndez, N., Herreras, O., Solis, J.M., Herranz, A.S. and Martín del Río, R., Extracellular taurine increase in rat hippocampus evoked by specific glutamate receptors activation is related to the excitatory potency of glutamate agonists, 64
Michelson, A.M., see Hariton, C., 313
Misgeld, U., see Müller, W., 229
Mitrofani, J., Development of NADPH-diaphorase cells in the rat's retina, 165
Mizuno, N., see Nozaki, K., 27
Møller, M., see Olcese, J., 235
Moonen, G., see Leprince, P., 268
Morris, J.L., Gibbins, I.L. and Osborne, P.B., Galanin-like immunoreactivity in sympathetic and parasympathetic neurons of the toad *Bufo marinus*, 142
Müller, W., and Misgeld, U., Carbachol reduces $I_{K,Baclofen}$, but not $I_{K,GABA}$ in guinea pig hippocampal slices, 229
Murakami, S. and Arai, Y., Neuronal death in the developing sexually dimorphic periventricular nucleus of the preoptic area in the female rat: effect of neonatal androgen treatment, 185

Nabeshima, T., Tohyama, K., Noda, A., Maeda, Y., Hiramatsu, M., Harrer, S.M., Kameyama, T., Furukawa, H., Jacobson, A.E. and Rice, K.C., Effects of metaphit on phencyclidine and serotonin$_2$ receptors, 303
Nakayama, T., see Tsai, C.L., 297
Navarro, A., see Tolivia, J., 155
Neal, M.J. and Cunningham, J.R., L-Homocysteic acid – a possible bipolar cell transmitter in the rabbit retina, 114
Netti, C., see Guidobono, F., 20
Nicklas, W.J., see Zeevalk, G.D., 284
Nicolaidis, S., see Stallone, D., 319
Noda, A., see Nabeshima, T., 303
Nowycky, M.C., see Krishtal, O.A., 297
Nozaki, K., Kikuchi, H. and Mizuno, N., Changes of calcitonin gene-related peptide-like immunoreactivity in cerebrovascular nerve fibers in the dog after experimentally produced subarachnoid hemorrhage, 27

Okamura, H., Bérod, A., Julien, J.-F., Gefffard, M., Kitahama, K., Mallet, J. and Bobillier, P., Demonstration of GABAergic cell bodies in the suprachiasmatic nucleus: in situ hybridization of glutamic acid decarboxylase (GAD) mRNA and immunocytochemistry of GAD and GABA, 131
Olcese, J. and Møller, M., Characterization of serotonin *N*-acetyltransferase activity in the retina of the Mongolian gerbil, *Meriones unguiculates*, 235
Olianas, M.C., see Onali, P., 91
Onali, P. and Olianas, M.C., Involvement of adenylate cyclase inhibition in dopamine autoreceptor regulation of tyrosine hydroxylase in rat nucleus accumbens, 91
Oorschot, D.E. and Jones, D.G., Effect of cytosine arabinoside on rat cerebral explants: fibroblasts and reactive microglial cells as the primary cellular barrier to neurite growth, 332
Osborne, P.B., see Morris, J.L., 142
Owman, Ch., Fuxe, K., Janson, A.M. and Kahrström, J., Chronic nicotine treatment eliminates asymmetry in striatal glucose utilization following unilateral transection of the mesostriatal dopamine pathway in rats, 279

Pagani, F., see Guidobono, F., 20
Pecile, A., see Guidobono, F., 20
Petrov, A.V., see Krishtal, O.A., 197
Philibert, R.A. and Dutton, G.R., Dihydropyridines modulate K^+-evoked amino acid and adenosine release from cerebellar neuronal cultures, 97
Pittel, Z., see Fisher, A., 325
Pollard, J.D., see Shin, H.-C., 309
Pollock, J. and Kortnetsky, C., Evidence for the role of dopamine D_1 receptors in morphine induced stereotypic behavior, 291
Powers, R.K., Vanden Noven, S. and Rymer, W.Z., Evidence of shared, direct input to motoneurons supplying synergist muscles in humans, 76
Prasad, C., Postnatal development of the spinal cord thyrotropin-releasing hormone receptor in male and female rats, 253

Rehnholm, A., see Sjölander, P., 33
Rice, K.C., see Nabeshima, T., 303

Rieger, F., see Blondet, B., 273
Rigo, J.-M., see Leprince, P., 268
Rogers, D.C. and Dunnett, S.B., Hypersensitivity to α-methyl-*p*-tyrosine suggests that behavioural recovery of rats receiving neonatal 6-OHDA lesions is mediated by residual catecholamine neurones, 108
Rogister, B., see Leprince, P., 268
Rojas, J., see Hösli, L., 217
Rusin, K.I., see Safronov, B.V., 82
Russell, N.J.W., see Louis, S.M., 257
Rymer, W.Z., see Powers, R.K., 76

Safronov, B.V., Baev, K.V., Batueva, I.V., Rusin, K.I. and Suderevskaya, E.I., Peculiarities of receptor-channel complexes for inhibitory mediators in the membranes of lamprey spinal cord neurones, 82
Sapir, M., see Fisher, A., 325
Segal, R.L. and Beckstead, R.M., Distribution of corticotectal axons from the caudal part of the anterior ectosylvoian sulcus in the cat, 173
Seiger, A., see Bjelke, B., 15
Shin, H.-C., McFarlane, E.F., Pollard, J.D. and Watson, E.G.S., Induction of experimental allergic neuritis with synthetic peptides from myelin P_2 protein, 309
Shiosaka, S., see Kudo, Y., 125
Sibilia, V., see Guidobono, F., 20
Sjölander, P., Johansson, H., Sojka, P. and Rehnholm, A., Sensory nerve endings in the cruciate ligaments: a morphological investigation, 33
Smirnov, S.V., see Krishtal, O.A., 97
Smith, D.J., see Brown, L.M., 103
Smith, D.L., see Brown, L.M., 103
Sojka, P., see Sjölander, P., 33
Solis, J.M., see Menéndez, N., 64
Stallone, D. and Nicolaidis, S., Increased food intake and carbohydrate preference in the following treatment with the serotonin antagonist metergoline, 319
Such, Gy., see Erdélyi, L., 44
Suderevskaya, E.I., see Safronov, B.V., 82

Takeda, R. and Haji, A., Microiontophoresis of flurazepam on inspiratory and postinspiratory neurons in the ventrolateral medulla of cats: an intracellular study in vivo, 261
Talman, W.T., Kynurenic acid microinjected into the nucleus tractus solitarius of rat blocks the arterial baroreflex but not responses to glutamate, 247
Tohyama, K., see Nabeshima, T., 303
Tohyama, M., see Hamaji, M., 121
Tohyama, M., see Kudo, Y., 125
Tolivia, D., see Tolivia, J., 155
Tolivia, J., Tolivia, D. and Navarro, A., Differential thionin block staining of nerve cells and fibers for paraffin-embedded material in mammalian central nervous system, 155
Tsai, C.L., Matsumura, K., Nakayama, T., Itowi, N., Yamatodani, A. and Wada, H., Effects of histamine on thermosensitive neurons in rat preoptic slice preparations, 297
Tse, F.W.Y. and MacVicar, B.A., Phosphoinositides and GTP binding proteins involved in muscarinic generation of hippocampal rhythmic slow activity, 58

Uchiyama, Y., see Yoshizawa, T., 179
Ugrumov, M., Hisano, S. and Daikoku, S., Topographic relations between tyrosine hydroxylase- and luteinizing hormone-releasing hormone-immunoreactive fibers in the median eminence of adult rats, 159

Vanden Noven, S., see Powers, R.K., 76
Verdière-Sahuqué, M., see Blondet, B., 273

Wada, H., see Tsai, C.L., 297
Watson, E.G.S., see Shin, H.-C., 309
White, G., see Lovinger, D.M., 50
Williams, G.M., see Brown, L.M, 103

Yamatodani, A., see Tsai, C.L., 297
Yanagisawa, M., see Yoshizawa, T., 179
Yoshizawa, T., Kimura, S., Kanazawa, I., Uchiyama, Y., Yanagisawa, M. and Masaki, T., Endothelin localizes in the dorsal horn and acts on the spinal neurones: possible involvement of dihydropyridine-sensitive calcium channels and substance P release, 179

Zeevalk, G.D. and Nicklas, W.J., Acute excitotoxicity in chick retina caused by the unusual amino acids BOAA and BMAA: effects of MK-801 and kynurenate, 284
Zona, C. and Avoli, M., Calcium-activated potassium channels recorded from rat neocortical neurons in cell culture, 223.

CONTENTS *(continued from back cover)*

Calcium-activated potassium channels recorded from rat neocortical neurons in cell culture
C. Zona and M. Avoli (Italy) 223
Carbachol reduces $I_{K,Baclofen}$, but not $I_{K,GABA}$ in guinea pig hippocampal slices
W. Müller and U. Misgeld (F.R.G.) 229
Characterization of serotonin *N*-acetyltransferase activity in the retina of the Mongolian gerbil, *Meriones unguiculates*
J. Olcese and M. Møller (Denmark) 235
Intrathecal administration of CGRP in the rat attenuates a facilitation of the tail flick reflex induced by either substance P or noxious cutaneous stimulation
R.A. Cridland and J.L. Henry (Canada) 241
Kynurenic acid microinjected into the nucleus tractus solitarius of rat blocks the arterial baroreflex but not responses to glutamate
W.T. Talman (U.S.A.) 247
Postnatal development of the spinal cord thyrotropin-releasing hormone receptor in male and female rats
C. Prasad (U.S.A.) 253
Antibodies to calcitonin-gene related peptide reduce inflammation induced by topical mustard oil but not that due to carrageenin in the rat
S.M. Louis, D. Johnstone, N.J.W. Russell, A. Jamieson and G.J. Dockray (U.K.) 257
Microiontophoresis of flurazepam on inspiratory and postinspiratory neurons in the ventrolateral medulla of cats: an intracellular study in vivo
R. Takeda and A. Haji (Japan) 261
In vitro kinetics of a newborn rat astroglia-derived neuronotoxic activity
P. Leprince, J.-M. Rigo, P.P. Lefebvre, B. Rogister, P. Delrée and G. Moonen (Belgium) 268
Activity-independent modulation of acetylcholine receptor levels in rat skeletal muscle following neonatal denervation
B. Blondet, F. Rieger and M. Verdière-Sahuqué (France) 273
Chronic nicotine treatment eliminates asymmetry in striatal glucose utilization following unilateral transection of the mesostriatal dopamine pathway in rats
Ch. Owman, K. Fuxe, A.M. Janson and J. Kåhrström (Sweden) 279
Acute excitotoxicity in chick retina caused by the unusual amino acids BOAA and BMAA: effects of MK-801 and kynurenate
G.D. Zeevalk and W.J. Nicklas (U.S.A.) 284
Evidence for the role of dopamine D_1 receptors in morphine induced stereotypic behavior
J. Pollock and C. Kornetsky (U.S.A.) 291
Effects of histamine on thermosensitive neurons in rat preoptic slice preparations
C.L. Tsai, K. Matsumura, T. Nakayama, N. Itowi, A. Yamatodani and H. Wada (Japan) 297
Effects of metaphit on phencyclidine and serotonin$_2$ receptors
T. Nabeshima, K. Tohyama, A. Noda, Y. Maeda, M. Hiramatsu, S.M. Harrer, T. Kemeyama, H. Furukawa, A.E. Jacobson and K.C. Rice (Japan, U.S.A.) 303
Induction of experimental allergic neuritis with synthetic peptides from myelin P_2 protein
H.-C. Shin, E.F. McFarlane, J.D. Pollard and E.G.S. Watson (Australia) 309
Superoxide dismutase treatment reduces [^{3}H]flunitrazepam affinity in cortex and hippocampus
C. Hariton, G. Jadot, A.M. Michelson and P. Mandel (France) 313
Increased food intake and carbohydrate preference in the following treatment with the serotonin antagonist metergoline
D. Stallone and S. Nicolaidis (France) 319
(±)-*cis*-2-Methyl-spiro(1,3-oxathiolane-5,3′) quinuclidine (AF102B): a new M_1 agonist attenuates cognitive dysfunctions in AF64A-treated rats
A. Fisher, R. Brandeis, Z. Pittel, I. Karton, M. Sapir, S. Dachir, A. Levy and E. Heldman (Israel) 325

Effect of cytosine arabinoside on rat cerebral explants: fibroblasts and reactive microglial cells as the primary cellular barrier to neurite growth
D.E. Oorschot and D.G. Jones (New Zealand) 332
Cardiovascular effects of increasing sodium chloride concentrations microinjected into the nucleus tractus solitarii of the rat
L. Lukovič, W. de Jong and D. de Wied (Czechoslovakia, The Netherlands) 337
Ubiquitin gene expression in brain and spinal cord in motor neurone disease
P. Heggie, T. Burdon, J. Lowe, M. Landon, G. Lennox, D. Jefferson and R.J. Mayer (U.K.) 343
Neuronal degeneration and lipopigment formation in rat sympathetic ganglion after treatment with high-dose guanethidine
J. Koistinaho and A. Hervonen (Finland) 349

Author Index 355